



Shenzhen Ente Materials Technology Co., Ltd Dongguan Polycell Materials Technology Co., Ltd POLYCELL Co., Ltd

3D Wallpaper

Eco-friendly, Anti-collision, Waterproof Easy to Install, DIY Self-adhesive

COMPANY PROFILE

Shenzhen Ente Materials Technologies Co., Ltd is a high-tech company dedicated to design, research and develop new architectural decoration materials. The company's headquarter is located in Shenzhen, owns 3 technology joint R&D and design centers and product development centers in Shenzhen, Japan and South Korea, and 3 production bases in Shenzhen, Busan and Dongguan. Products are sold to Southeast Asia, Middle East, Europe and America and other developed countries as well as B&R (the Belt and Road) countries. Ente is committed to provide people with healthy, eco-friendly, creative and technological new space construction materials and solutions, with "MUCAI, IENTE, POLYCELL" and other brands.

Dongguan Polycell Materials Technology Co., Ltd is a China and South Korea joint venture, located on Dongguan city, Guangdong Province China, which covers 9000 square meters. We introduce advanced production equipment and management technology from Korea-Polycell, change the traditional production mode, make our products with best quality in the market. Our factory has 3 world-leading molding machines, 3 laminating machines, 3 glue machines, 25 cutting machines, 3 production lines, 6 senior R&D engineers and 8 intermediate R&D engineers, which guarantee the development plan of new products. The monthly production is 1,000,000 pieces and 200,000 square meters for 3d wallpaper coill. Supports OEM and ODM, mainly exported to Southeast Asia, Middle East, Europe and America.

Our 3D wallpaper is a wall DIY quick install product based on PE polymer material, which has passed SGS environmental protection testing and certification. Through continuous technical research and product design, Ente constantly enriches the technological and creative experience of people's working environment and living space.

Our mission is to produce the best quality 3D wallpaper worldwide, welcome to visit us!

CERTIFICATE









- Company Profile
- FB-Brick
- FH-Wood Grain
- FT-Ceramic Tile
- HC-Cultured Stone
- FS-Square Brick
- HB-Brick
- 18 R-Coil
- Installation Guide

FACTORY











Special Features of 3D Wallpaper

3D wallpaper is a new kind of wall decoration product. The main material of wallpaper, PE is an environmentally friendly and non-toxic material. Compared with traditional wall decoration product, the 3D brick wallpaper is much lighter and easier to install, moreover, you can cut the wallpaper into any shapes if you like DIY. All our 3D wallpaper is soundproof, adiabatic, anti-collision, waterproof and odorless.

Our 3D wallpaper is well-insulated, high density foam insulation slows the migration of heat energy into or out of the conditioned space. This reduces the amount of energy needed to keep the conditioned space cool in the summer and warm in the winter. The thickness of our foam wallpaper also make it a good choice for making a room sound proof and shock absorbent. Play the TV loudly or host a party without bothering your neighbors. A protective layer on the surface of the wallpaper makes it easy to clean. Dirt and ink can be wiped off the wall easily.



03

FB-Brick

FB06/FB08-77*70cm



Color Options

Size: 77*70cm (tolerance is about 0.5cm)

Thickness: FB06-6mm, FB08-8mm Material: XPE/Modification of XPE


Glue: Hot Melt Resin Gum(No Formaldehyde)

Texture: Brick


Usage: DIY Self-adhesive Lifetime: 10 Years OEM/ODM: Supported Packaging: Carton 30-45 pcs/box

Carton Box: 72*79*41cm

Weight: 10-11kg

















FB0602/FB0802-Pink




FB0604/FB0804-Sliver Black



FB0607/FB0807-Green



FB0609/FB0809-Red Stone



FB0610/FB0810-Green Stone



FB0611/FB0811-Blue Stone



FB0612/FB0812-Grey Stone

FB-Brick

FB10-75*66cm

Thickness: 10mm

Specification:

Size: 75*66cm (tolerance is about 0.2cm)

Thickness: 10mm

Material: XPE/Modification of XPE


Glue: PE Coating Layer+Hot Melt Resin Gum(No


Formaldehyde)


Texture: Brick

Usage: DIY Self-adhesive

Lifetime: 10 years OEM/ODM: Supported















>>>>>>>>>

Color Options

Packaging: Carton 30 pcs/box Carton Box: 68*77*52cm

Weight: 12kg













FB1001-Ivory White

FB1002-Rouge Pink

FB1003-Clear Blue

FB1004-Cloudy Pink









FB1005-Mint Blue

FB1008-Rock Brown

FB1009-Camel Brown

FB1011-Rainbow Mint









FB1012-Apple Mint

FB1016-Sliver Black

FB1017-Cloudy Black Stone

FB1018-Rust Stone

07

FH-Wood Grain

71*66cm

Thickness: 10mm

Color Options

Specification:

Size: 71*66cm (tolerance is about 0.3cm)

Thickness: 10mm

Material: XPE/Modification of XPE

Glue: Hot Melt Resin Gum(No Formaldehyde)


Texture: Wood Grain
Usage: DIY Self-adhesive
Lifetime: 10 years


OEM/ODM: Supported



Carton Box: 68*77*52cm

Weight: 12kg









FH1001-White

FH1002-Bright Yellow





FT-Ceramic Tile

72*63cm

Thickness: 10mm

Packaging: Carton

Carton Box: 68*77*52cm

30 pcs/box

Weight: 12kg

Specification:

Size: 72*63cm (tolerance is about 0.2cm)


Thickness: 10mm


Material: XPE/Modification of XPE

Glue: PE Coating Layer+Hot Melt Resin Gum(No Formaldehyde)

Texture: Ceramic Tile
Usage: DIY Self-adhesive
Lifetime: 10 years

OEM/ODM: Supported









Color Options







FT1001-Ivory White

FT1007-Flaxen Grey

FT1008-Flaxen Yellow

n Yellow FT1009-Flaxen Rose







FT1010-Flaxen Blue

FT1011-Flaxen Green

FT1012-Flaxen Khaki

HC-Cultured Stone

60*60cm



Specification:

Size: 60*60cm (tolerance is about 0.1cm)


Thickness: 10mm


Material: XPE/Modification of XPE

Glue: PE Coating Layer+Hot Melt Resin Gum(No Formaldehyde)

Texture: Cultured Stone
Usage: DIY Self-adhesive

Lifetime: 10 years
OEM/ODM: Supported






Packaging: Carton 30 pcs/box

Carton Box: 62*62*52cm

Weight: 9kg



HC1007-Clear Blue HC1008-Cloudy Pink



HC1009-Mint Blue



HC1010-Rock Brown



HC1011-Camel Brown



HC1012-Rainbow Mint



HC1013-Apple Mint



HC1014-Cloudy Black Stone

Color Options



HC1001-White



HC1002-Rouge Pink



HC1004-Sliver Black



HC1006-Green



HC1015-Rust Stone



FS-Square Brick

72*72cm

Thickness: 10mm

Color Options

Specification:

Size: 72*72cm (tolerance is about 0.2cm)

Thickness: 10mm

Material: XPE/Modification of XPE

Glue: PE Coating Layer+Hot Melt Resin Gum(No Formaldehyde)


Texture: Square Brick
Usage: DIY Self-adhesive


Lifetime: 10 years
OEM/ODM: Supported

Packaging: Carton 10 pcs/box

Carton Box: 72*79*41cm

Weight: 12kg

















FS1001-White

FS1002-Red Stone

FS1003-Green Stone





FS1004-Blue Stone

FS1005-Grey Stone



HB-Brick

60*60cm



Thickness: 10mm

Specification:

Size: 60*60cm (tolerance is about 0.1cm)

Thickness: 10mm

Material: XPE/Modification of XPE

Glue: PE Coating Layer+Hot Melt Resin Gum(No Formaldehyde)

Texture: Brick

Usage: DIY Self-adhesive


Lifetime: 10 years


OEM/ODM: Supported



Carton Box: 62*62*52cm

Weight: 9kg













Color Options










HB1001-White


HB1002-Rouge Pink

HB1004-Sliver Black

HB1006-Green









HB1007-Clear Blue

HB1008-Cloudy Pink

HB1009-Mint Blue

HB1010-Rock Brown









HB1011-Camel Brown

HB1012-Rainbow Mint

HB1013-Apple Mint

HB1014- Cloudy Black Stone



HB1015-Rust Stone

R-Coil

1*20m Thickness: 5mm

Specification:

Size: 1*20m

Thickness: 5mm


Material: XPE/Modification of XPE

Glue: PE Coating Layer+Hot Melt Resin Gum(No Formaldehyde)

Texture: Coil

Usage: DIY Self-adhesive

Lifetime: 10 years
OEM/ODM: Supported





Packaging:

Weight: 8kg

PE bag: 40*40*102cm

Color Options



R0501- Flaxen Grey



R0502- laxen Green



R0503-Flaxen Pink



R0504-Fl xen Yellow



R0505-Flaxen Light Green



R0506-Flaxen Dark Green

Installation Guide

Tools You Need:

A dry towel, Knife, Scissors, Pencil, Tape

Installation Steps:

- 1. Use a tape to measure the wall size and calculate the area (L* W).
- 2. Use a dry towel to clean dust and other dirty on the wall.
- 3. Cut the required size wallpaper with a knife or scissors.
- 4. Peel off the paper backing.
- 5. Stick it on the wall, press till the whole area is attached.

Tips and Cautions:

- 1. Before installation, be sure to measure the wall size before cutting.
- 2. When cutting, please cut along the line, the overall effect is better.
- 3. When installation, please make sure that the wall surface is free of dust, clean and tidy. The matte or wet wall surface may shorten the wallpaper life.
- 4. During installation, please plan the overall layout to avoid unnecessary rework waste .
- 5. After installation, avoid sharp objects.




1 Clean up the wall



2 Measuring the size









5 Stick on the wall